

SAFETY DATA SHEET

SIEMENS

IMMULITE® 2000 Toxoplasma Quantitative IgG

MSDS no. : L2KTXP2_6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: IMMULITE® 2000 Toxoplasma Quantitative IgG
Product code	: L2KTXP2, L2KTXP6, 10381323, 10381322
Product description	: Not available.
Product type	: Liquid.
Other means of identification	: IgG/IgM Sample Diluent L2IGZ1/2 Toxoplasma Quantitative IgG Reagent L2TXPA2-A Wedge A Toxoplasma Quantitative IgG Reagent L2TXPA2-B Wedge B Toxoplasma Quantitative IgG Controls LTXPC1, LTXPC2, LTXPC3 Toxoplasma Quantitative IgG Adjustors LTXPL, LTXPH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

1.3 Company/undertaking identification

Manufactured/supplied : Siemens Healthcare Diagnostics Limited
Sir William Siemens Square
Newton House
Camberley
Frimley
Surrey
GU16 8QD
UK

Phone: +44 (0) 1276 696000
Fax: +44 (0)1276 696133

e-mail address of person responsible for this SDS : dx.msds.healthcare@siemens.com

1.4 Emergency telephone number : Poison Control:
In England and Wales:
NHS Direct – 0845 4647 or 111
In Scotland: NHS 24 – 08454 24 24 24
In the Republic of Ireland: 01 809 2166

CHEMTREC: 0870-8200418 (UK only)
00 + 1 + 703-527-3887 (UK & Ireland)
(International calls to the United Kingdom)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Product definition	:	IgG/IgM Sample Diluent	Mixture
		Toxoplasma Quantitative IgG Reagent Wedge A	Mixture
		Toxoplasma Quantitative IgG Reagent Wedge B	Mixture
		Toxoplasma Quantitative IgG Controls	Mixture
		Toxoplasma Quantitative IgG Adjustors	Mixture

Classification according to Directive 1999/45/EC [DPD]

IgG/IgM Sample Diluent	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
Toxoplasma Quantitative IgG Reagent Wedge A	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
Toxoplasma Quantitative IgG Reagent Wedge B	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
Toxoplasma Quantitative IgG Controls	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
Toxoplasma Quantitative IgG Adjustors	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification	:	IgG/IgM Sample Diluent	Not classified.
		Toxoplasma Quantitative IgG Reagent Wedge A	Not classified.
		Toxoplasma Quantitative IgG Reagent Wedge B	Not classified.
		Toxoplasma Quantitative IgG Controls	Not classified.
		Toxoplasma Quantitative IgG Adjustors	Not classified.

Physical/chemical hazards	:	IgG/IgM Sample Diluent	Not applicable.
		Toxoplasma Quantitative IgG Reagent Wedge A	Not applicable.
		Toxoplasma Quantitative IgG Reagent Wedge B	Not applicable.
		Toxoplasma Quantitative IgG Controls	Not applicable.
		Toxoplasma Quantitative IgG Adjustors	Not applicable.

Human health hazards	:	IgG/IgM Sample Diluent	Not applicable.
		Toxoplasma Quantitative IgG Reagent Wedge A	Not applicable.
		Toxoplasma Quantitative IgG Reagent Wedge B	Not applicable.
		Toxoplasma Quantitative IgG Controls	Not applicable.
		Toxoplasma Quantitative IgG Adjustors	Not applicable.

Environmental hazards	:	IgG/IgM Sample Diluent	Not applicable.
		Toxoplasma Quantitative IgG Reagent Wedge A	Not applicable.
		Toxoplasma Quantitative IgG Reagent Wedge B	Not applicable.
		Toxoplasma Quantitative IgG Controls	Not applicable.
		Toxoplasma Quantitative IgG Adjustors	Not applicable.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements**Precautionary statements**

Indication of danger :

SECTION 2: Hazards identification

Risk phrases	: IgG/IgM Sample Diluent Toxoplasma Quantitative IgG Reagent Wedge A Toxoplasma Quantitative IgG Reagent Wedge B Toxoplasma Quantitative IgG Controls Toxoplasma Quantitative IgG Adjustors	This product is not classified as dangerous according to EU legislation. This product is not classified as dangerous according to EU legislation. This product is not classified as dangerous according to EU legislation. This product is not classified as dangerous according to EU legislation. This product is not classified as dangerous according to EU legislation.
Safety phrases	: IgG/IgM Sample Diluent Toxoplasma Quantitative IgG Reagent Wedge A Toxoplasma Quantitative IgG Reagent Wedge B Toxoplasma Quantitative IgG Controls Toxoplasma Quantitative IgG Adjustors	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
Supplemental label elements	: Not applicable.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: IgG/IgM Sample Diluent Toxoplasma Quantitative IgG Reagent Wedge A Toxoplasma Quantitative IgG Reagent Wedge B Toxoplasma Quantitative IgG Controls Toxoplasma Quantitative IgG Adjustors	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

2.3 Other hazards

Other hazards which do not result in classification	: None known. Potentially biohazardous material.
--	---

SECTION 3: Composition/information on ingredients

Substance/mixture	: IgG/IgM Sample Diluent Toxoplasma Quantitative IgG Reagent Wedge A Toxoplasma Quantitative IgG Reagent Wedge B Toxoplasma Quantitative IgG Controls Toxoplasma Quantitative IgG Adjustors	Mixture Mixture Mixture Mixture Mixture
--------------------------	---	---

Product/ingredient name	Identifiers	%	<u>Classification</u>		Type
			67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
IgG/IgM Sample Diluent aminocaproic acid	EC: 200-469-3 CAS: 60-32-2	>=1, <5	Not classified.	Eye Irrit. 2, H319	[1]
Toxoplasma Quantitative IgG Reagent Wedge A aminocaproic acid	EC: 200-469-3 CAS: 60-32-2	>=1, <5	Not classified.	Eye Irrit. 2, H319	[1]
Toxoplasma Quantitative IgG Reagent Wedge B					

SECTION 3: Composition/information on ingredients

aminocaproic acid	EC: 200-469-3 CAS: 60-32-2	>=1, <5	Not classified.	Eye Irrit. 2, H319	[1]
See Section 16 for the full text of the H statements declared above.					

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures**4.1 Description of first aid measures****Eye contact**

: IgG/IgM Sample Diluent

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Toxoplasma Quantitative IgG Reagent Wedge A

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Toxoplasma Quantitative IgG Reagent Wedge B

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Toxoplasma Quantitative IgG Controls

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Toxoplasma Quantitative IgG Adjustors

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

: IgG/IgM Sample Diluent

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for

Toxoplasma Quantitative IgG Reagent Wedge A

Toxoplasma Quantitative IgG Reagent Wedge B

SECTION 4: First aid measures**Skin contact**

: IgG/IgM Sample Diluent

Toxoplasma Quantitative IgG Controls

Toxoplasma Quantitative IgG Adjustors

Toxoplasma Quantitative IgG Reagent Wedge A

Toxoplasma Quantitative IgG Reagent Wedge B

Toxoplasma Quantitative IgG Controls

Toxoplasma Quantitative IgG Adjustors

Ingestion

: IgG/IgM Sample Diluent

Toxoplasma Quantitative IgG Reagent Wedge A

Toxoplasma Quantitative IgG Reagent Wedge B

breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

SECTION 4: First aid measures

Toxoplasma Quantitative IgG Controls

attention if symptoms occur.
Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Toxoplasma Quantitative IgG Adjustors

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact

: IgG/IgM Sample Diluent

No known significant effects or critical hazards.

Toxoplasma Quantitative IgG Reagent Wedge A

No known significant effects or critical hazards.

Toxoplasma Quantitative IgG Reagent Wedge B

No known significant effects or critical hazards.

Toxoplasma Quantitative IgG Controls

No known significant effects or critical hazards.

Toxoplasma Quantitative IgG Adjustors

No known significant effects or critical hazards.

Inhalation

: IgG/IgM Sample Diluent

Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Toxoplasma Quantitative IgG Reagent Wedge A

Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Toxoplasma Quantitative IgG Reagent Wedge B

Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Toxoplasma Quantitative IgG Controls

No known significant effects or critical hazards.

Toxoplasma Quantitative IgG Adjustors

Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Skin contact

: IgG/IgM Sample Diluent

No known significant effects or critical hazards.

Toxoplasma Quantitative IgG Reagent Wedge A

No known significant effects or critical hazards.

Toxoplasma Quantitative IgG Reagent Wedge B

No known significant effects or critical hazards.

Toxoplasma Quantitative IgG Controls

No known significant effects or critical hazards.

Toxoplasma Quantitative IgG Adjustors

No known significant effects or critical hazards.

SECTION 4: First aid measures

Ingestion	: IgG/IgM Sample Diluent	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge A	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge B	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	: IgG/IgM Sample Diluent	No specific data.
	Toxoplasma Quantitative IgG Reagent Wedge A	No specific data.
	Toxoplasma Quantitative IgG Reagent Wedge B	No specific data.
	Toxoplasma Quantitative IgG Controls	No specific data.
	Toxoplasma Quantitative IgG Adjustors	No specific data.
Inhalation	: IgG/IgM Sample Diluent	No specific data.
	Toxoplasma Quantitative IgG Reagent Wedge A	No specific data.
	Toxoplasma Quantitative IgG Reagent Wedge B	No specific data.
	Toxoplasma Quantitative IgG Controls	No specific data.
	Toxoplasma Quantitative IgG Adjustors	No specific data.
Skin contact	: IgG/IgM Sample Diluent	No specific data.
	Toxoplasma Quantitative IgG Reagent Wedge A	No specific data.
	Toxoplasma Quantitative IgG Reagent Wedge B	No specific data.
	Toxoplasma Quantitative IgG Controls	No specific data.
	Toxoplasma Quantitative IgG Adjustors	No specific data.
Ingestion	: IgG/IgM Sample Diluent	No specific data.
	Toxoplasma Quantitative IgG Reagent Wedge A	No specific data.
	Toxoplasma Quantitative IgG Reagent Wedge B	No specific data.
	Toxoplasma Quantitative IgG Controls	No specific data.
	Toxoplasma Quantitative IgG Adjustors	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media	: Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
--	---

SECTION 5: Firefighting measures

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
 carbon dioxide
 carbon monoxide
 nitrogen oxides
 sulfur oxides
 halogenated compounds
 metal oxide/oxides

5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

6.2 Environmental precautions

- : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

- : See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SECTION 7: Handling and storage

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific solutions : Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

SECTION 8: Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****Appearance**

- Physical state** : IgG/IgM Sample Diluent Liquid.
Toxoplasma Quantitative IgG Reagent Liquid.
Wedge A
Toxoplasma Quantitative IgG Reagent Liquid.
Wedge B
Toxoplasma Quantitative IgG Controls Liquid.
Toxoplasma Quantitative IgG Adjustors Liquid.
- Colour** : IgG/IgM Sample Diluent Colourless.
Toxoplasma Quantitative IgG Reagent Colourless.
Wedge A
Toxoplasma Quantitative IgG Reagent Colourless.
Wedge B
Toxoplasma Quantitative IgG Controls Colourless.
Toxoplasma Quantitative IgG Adjustors Colourless.
- Odour** : IgG/IgM Sample Diluent Bland.
Toxoplasma Quantitative IgG Reagent Odorless.
Wedge A
Toxoplasma Quantitative IgG Reagent Odorless.
Wedge B
Toxoplasma Quantitative IgG Controls Odorless.
Toxoplasma Quantitative IgG Adjustors Odorless.
- pH** : IgG/IgM Sample Diluent Not applicable.
Toxoplasma Quantitative IgG Reagent 7.95 to 8.05
Wedge A
Toxoplasma Quantitative IgG Reagent 7.95 to 8.05
Wedge B
Toxoplasma Quantitative IgG Controls Not applicable.
Toxoplasma Quantitative IgG Adjustors 7.95 to 8.05
- Melting point/freezing point** : IgG/IgM Sample Diluent Not available.
Toxoplasma Quantitative IgG Reagent Not available.
Wedge A
Toxoplasma Quantitative IgG Reagent Not available.
Wedge B
Toxoplasma Quantitative IgG Controls Not available.
Toxoplasma Quantitative IgG Adjustors Not available.
- Initial boiling point and boiling range** : IgG/IgM Sample Diluent Not available.
Toxoplasma Quantitative IgG Reagent Not available.
Wedge A
Toxoplasma Quantitative IgG Reagent Not available.
Wedge B
Toxoplasma Quantitative IgG Controls Not available.
Toxoplasma Quantitative IgG Adjustors Not available.

SECTION 9: Physical and chemical properties

Flash point	:	IgG/IgM Sample Diluent	Not available.
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge A	
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge B	
	:	Toxoplasma Quantitative IgG Controls	Not available.
Evaporation rate	:	Toxoplasma Quantitative IgG Adjustors	Not available.
	:	IgG/IgM Sample Diluent	Not available.
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge A	
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge B	
Flammability (solid, gas)	:	Toxoplasma Quantitative IgG Controls	Not available.
	:	Toxoplasma Quantitative IgG Adjustors	Not available.
	:	IgG/IgM Sample Diluent	Not available.
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge A	
	:	Toxoplasma Quantitative IgG Reagent	Not available.
Burning time	:	Wedge B	
	:	Toxoplasma Quantitative IgG Controls	Not available.
	:	Toxoplasma Quantitative IgG Adjustors	Not available.
	:	IgG/IgM Sample Diluent	Not applicable.
	:	Toxoplasma Quantitative IgG Reagent	Not applicable.
	:	Wedge A	
Burning rate	:	Toxoplasma Quantitative IgG Reagent	Not applicable.
	:	Wedge B	
	:	Toxoplasma Quantitative IgG Controls	Not applicable.
	:	Toxoplasma Quantitative IgG Adjustors	Not applicable.
	:	IgG/IgM Sample Diluent	Not applicable.
	:	Toxoplasma Quantitative IgG Reagent	Not applicable.
Upper/lower flammability or explosive limits	:	Wedge A	
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge B	
	:	Toxoplasma Quantitative IgG Controls	Not available.
	:	Toxoplasma Quantitative IgG Adjustors	Not available.
	:	IgG/IgM Sample Diluent	Not available.
Vapour pressure	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge A	
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge B	
	:	Toxoplasma Quantitative IgG Controls	Not available.
	:	Toxoplasma Quantitative IgG Adjustors	Not available.
Solubility in water	:	IgG/IgM Sample Diluent	Not available.
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge A	
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge B	
	:	Toxoplasma Quantitative IgG Controls	Not available.
Partition coefficient: n-octanol/ water	:	Toxoplasma Quantitative IgG Adjustors	Not available.
	:	IgG/IgM Sample Diluent	Not available.
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge A	
	:	Toxoplasma Quantitative IgG Reagent	Not available.
	:	Wedge B	
	:	Toxoplasma Quantitative IgG Controls	Not available.
	:	Toxoplasma Quantitative IgG Adjustors	Not available.

SECTION 9: Physical and chemical properties

Auto-ignition temperature	: IgG/IgM Sample Diluent	Not available.
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	Not available.
Decomposition temperature	: IgG/IgM Sample Diluent	Not available.
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	Not available.
Viscosity	: IgG/IgM Sample Diluent	Not available.
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	Not available.
Explosive properties	: IgG/IgM Sample Diluent	Not available.
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	Not available.
Oxidising properties	: IgG/IgM Sample Diluent	Not available.
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	Not available.

9.2 Other information

SADT	: Not available.
<u>Aerosol product</u>	
Type of aerosol	: Not applicable.
Heat of combustion	: Not available.
Ignition distance	: Not applicable.
Enclosed space ignition - Time equivalent	: Not applicable.
Enclosed space ignition - Deflagration density	: Not applicable.
Flame height	: Not applicable.
Flame duration	: Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

SECTION 10: Stability and reactivity**10.4 Conditions to avoid** : No specific data.**10.5 Incompatible materials** : No specific data.**10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.**SECTION 11: Toxicological information****11.1 Information on toxicological effects**Acute toxicity**Conclusion/Summary** : Not available.Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
IgG/IgM Sample Diluent aminocaproic acid	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Toxoplasma Quantitative IgG Reagent Wedge A aminocaproic acid	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Toxoplasma Quantitative IgG Reagent Wedge B aminocaproic acid	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Conclusion/Summary : Not available.Sensitisation**Conclusion/Summary** : Not available.Mutagenicity**Conclusion/Summary** : Not available.Carcinogenicity**Conclusion/Summary** : Not available.Reproductive toxicity**Conclusion/Summary** : Not available.Teratogenicity**Conclusion/Summary** : Not available.**Information on the likely routes of exposure** : Not available.Potential acute health effects

Eye contact	IgG/IgM Sample Diluent	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge A	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge B	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.

SECTION 11: Toxicological information

Inhalation	:	IgG/IgM Sample Diluent	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		Toxoplasma Quantitative IgG Reagent Wedge A	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		Toxoplasma Quantitative IgG Reagent Wedge B	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
		Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
		Toxoplasma Quantitative IgG Adjustors	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	:	IgG/IgM Sample Diluent	No known significant effects or critical hazards.
		Toxoplasma Quantitative IgG Reagent Wedge A	No known significant effects or critical hazards.
		Toxoplasma Quantitative IgG Reagent Wedge B	No known significant effects or critical hazards.
		Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
		Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.
Ingestion	:	IgG/IgM Sample Diluent	No known significant effects or critical hazards.
		Toxoplasma Quantitative IgG Reagent Wedge A	No known significant effects or critical hazards.
		Toxoplasma Quantitative IgG Reagent Wedge B	No known significant effects or critical hazards.
		Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
		Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	IgG/IgM Sample Diluent	No specific data.
		Toxoplasma Quantitative IgG Reagent Wedge A	No specific data.
		Toxoplasma Quantitative IgG Reagent Wedge B	No specific data.
		Toxoplasma Quantitative IgG Controls	No specific data.
		Toxoplasma Quantitative IgG Adjustors	No specific data.
Inhalation	:	IgG/IgM Sample Diluent	No specific data.
		Toxoplasma Quantitative IgG Reagent Wedge A	No specific data.
		Toxoplasma Quantitative IgG Reagent Wedge B	No specific data.
		Toxoplasma Quantitative IgG Controls	No specific data.
		Toxoplasma Quantitative IgG Adjustors	No specific data.
Skin contact	:	IgG/IgM Sample Diluent	No specific data.
		Toxoplasma Quantitative IgG Reagent Wedge A	No specific data.
		Toxoplasma Quantitative IgG Reagent Wedge B	No specific data.
		Toxoplasma Quantitative IgG Controls	No specific data.
		Toxoplasma Quantitative IgG Adjustors	No specific data.

SECTION 11: Toxicological information

Ingestion	: IgG/IgM Sample Diluent	No specific data.
	Toxoplasma Quantitative IgG Reagent	No specific data.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	No specific data.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	No specific data.
	Toxoplasma Quantitative IgG Adjustors	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	: IgG/IgM Sample Diluent	Not available.
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	Not available.
	Toxoplasma Quantitative IgG Adjustors	Not available.
Potential delayed effects	: IgG/IgM Sample Diluent	Not available.
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	Not available.
	Toxoplasma Quantitative IgG Adjustors	Not available.

Long term exposure

Potential immediate effects	: IgG/IgM Sample Diluent	Not available.
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	Not available.
	Toxoplasma Quantitative IgG Adjustors	Not available.
Potential delayed effects	: IgG/IgM Sample Diluent	Not available.
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	Not available.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	Not available.
	Toxoplasma Quantitative IgG Adjustors	Not available.

Potential chronic health effects

Not available.

Conclusion/Summary	: Not available.	
General	: IgG/IgM Sample Diluent	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent	No known significant effects or critical hazards.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	No known significant effects or critical hazards.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.
Carcinogenicity	: IgG/IgM Sample Diluent	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent	No known significant effects or critical hazards.
	Wedge A	
	Toxoplasma Quantitative IgG Reagent	No known significant effects or critical hazards.
	Wedge B	
	Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.

SECTION 11: Toxicological information

Mutagenicity	: IgG/IgM Sample Diluent	hazards. No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge A	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge B	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.
Teratogenicity	: IgG/IgM Sample Diluent	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge A	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge B	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.
Developmental effects	: IgG/IgM Sample Diluent	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge A	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge B	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.
Fertility effects	: IgG/IgM Sample Diluent	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge A	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Reagent Wedge B	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Controls	No known significant effects or critical hazards.
	Toxoplasma Quantitative IgG Adjustors	No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information**12.1 Toxicity**

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

SECTION 12: Ecological information

Product/ingredient name	LogP _{ow}	BCF	Potential
IgG/IgM Sample Diluent aminocaproic acid	-2.95	-	low
Toxoplasma Quantitative IgG Reagent Wedge A aminocaproic acid	-2.95	-	low
Toxoplasma Quantitative IgG Reagent Wedge B aminocaproic acid	-2.95	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT	IgG/IgM Sample Diluent	Not applicable.
	Toxoplasma Quantitative IgG Reagent Wedge A	Not applicable.
	Toxoplasma Quantitative IgG Reagent Wedge B	Not applicable.
	Toxoplasma Quantitative IgG Controls	Not applicable.
	Toxoplasma Quantitative IgG Adjustors	Not applicable.
vPvB	IgG/IgM Sample Diluent	Not applicable.
	Toxoplasma Quantitative IgG Reagent Wedge A	Not applicable.
	Toxoplasma Quantitative IgG Reagent Wedge B	Not applicable.
	Toxoplasma Quantitative IgG Controls	Not applicable.
	Toxoplasma Quantitative IgG Adjustors	Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods**Product**

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
Sodium azide may react with lead or copper plumbing to form highly explosive metal azides.

Packaging

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 13: Disposal considerations

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information**ADR/RID**

14.1 UN number	IgG/IgM Sample Diluent	Not regulated.
	Toxoplasma Quantitative IgG Reagent Wedge A	Not regulated.
	Toxoplasma Quantitative IgG Reagent Wedge B	Not regulated.
	Toxoplasma Quantitative IgG Controls	Not regulated.
	Toxoplasma Quantitative IgG Adjustors	Not regulated.

14.2 UN proper shipping name	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.3 Transport hazard class(es)	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.4 Packing group	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.5 Environmental hazards	IgG/IgM Sample Diluent	No.
	Toxoplasma Quantitative IgG Reagent Wedge A	No.
	Toxoplasma Quantitative IgG Reagent Wedge B	No.
	Toxoplasma Quantitative IgG Controls	No.
	Toxoplasma Quantitative IgG Adjustors	No.

Additional information	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

ADN

14.1 UN number	IgG/IgM Sample Diluent	Not regulated.
	Toxoplasma Quantitative IgG Reagent Wedge A	Not regulated.
	Toxoplasma Quantitative IgG Reagent Wedge B	Not regulated.
	Toxoplasma Quantitative IgG Controls	Not regulated.
	Toxoplasma Quantitative IgG Adjustors	Not regulated.

SECTION 14: Transport information

14.2 UN proper shipping name	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.3 Transport hazard class(es)	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.4 Packing group	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.5 Environmental hazards	IgG/IgM Sample Diluent	No.
	Toxoplasma Quantitative IgG Reagent Wedge A	No.
	Toxoplasma Quantitative IgG Reagent Wedge B	No.
	Toxoplasma Quantitative IgG Controls	No.
	Toxoplasma Quantitative IgG Adjustors	No.

Additional information	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

IMDG

14.1 UN number	IgG/IgM Sample Diluent	Not regulated.
	Toxoplasma Quantitative IgG Reagent Wedge A	Not regulated.
	Toxoplasma Quantitative IgG Reagent Wedge B	Not regulated.
	Toxoplasma Quantitative IgG Controls	Not regulated.
	Toxoplasma Quantitative IgG Adjustors	Not regulated.

14.2 UN proper shipping name	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.3 Transport hazard class(es)	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

SECTION 14: Transport information

14.4 Packing group	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.5 Environmental hazards	IgG/IgM Sample Diluent	No.
	Toxoplasma Quantitative IgG Reagent Wedge A	No.
	Toxoplasma Quantitative IgG Reagent Wedge B	No.
	Toxoplasma Quantitative IgG Controls	No.
	Toxoplasma Quantitative IgG Adjustors	No.

Additional information	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

IATA

14.1 UN number	IgG/IgM Sample Diluent	Not regulated.
	Toxoplasma Quantitative IgG Reagent Wedge A	Not regulated.
	Toxoplasma Quantitative IgG Reagent Wedge B	Not regulated.
	Toxoplasma Quantitative IgG Controls	Not regulated.
	Toxoplasma Quantitative IgG Adjustors	Not regulated.

14.2 UN proper shipping name	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.3 Transport hazard class(es)	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.4 Packing group	IgG/IgM Sample Diluent	-
	Toxoplasma Quantitative IgG Reagent Wedge A	-
	Toxoplasma Quantitative IgG Reagent Wedge B	-
	Toxoplasma Quantitative IgG Controls	-
	Toxoplasma Quantitative IgG Adjustors	-

14.5 Environmental hazards

SECTION 14: Transport information**Additional
information**

IgG/IgM Sample Diluent	No.
Toxoplasma Quantitative IgG Reagent Wedge A	No.
Toxoplasma Quantitative IgG Reagent Wedge B	No.
Toxoplasma Quantitative IgG Controls	No.
Toxoplasma Quantitative IgG Adjustors	No.
IgG/IgM Sample Diluent	-
Toxoplasma Quantitative IgG Reagent Wedge A	-
Toxoplasma Quantitative IgG Reagent Wedge B	-
Toxoplasma Quantitative IgG Controls	-
Toxoplasma Quantitative IgG Adjustors	-

14.6 Special precautions for user : IgG/IgM Sample Diluent**Transport within user's premises:**

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Toxoplasma Quantitative IgG Reagent Wedge A

Transport within user's premises:

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Toxoplasma Quantitative IgG Reagent Wedge B

Transport within user's premises:

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Toxoplasma Quantitative IgG Controls

Transport within user's premises:

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Toxoplasma Quantitative IgG Adjustors

Transport within user's premises:

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU Regulation (EC) No. 1907/2006 (REACH)****Annex XIV - List of substances subject to authorisation****Annex XIV**

None of the components are listed.

Substances of very high concern

None of the components are listed.

SECTION 15: Regulatory information

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: IgG/IgM Sample Diluent	Not applicable.
	Toxoplasma Quantitative IgG Reagent Wedge A	Not applicable.
	Toxoplasma Quantitative IgG Reagent Wedge B	Not applicable.
	Toxoplasma Quantitative IgG Controls	Not applicable.
	Toxoplasma Quantitative IgG Adjustors	Not applicable.

Other EU regulations


Europe inventory : Not determined.

Seveso II Directive

This product is not controlled under the Seveso II Directive.

15.2 Chemical Safety Assessment : This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

 Indicates information that has changed from previously issued version.

Abbreviations and acronyms :

- ATE = Acute Toxicity Estimate
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EUH statement = CLP-specific Hazard statement
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- vPvB = Very Persistent and Very Bioaccumulative

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Not classified.		
Full text of abbreviated H statements	IgG/IgM Sample Diluent H319	Causes serious eye irritation.
	Toxoplasma Quantitative IgG Reagent Wedge A H319	Causes serious eye irritation.
	Toxoplasma Quantitative IgG Reagent Wedge B H319	Causes serious eye irritation.
Full text of classifications [CLP/GHS]	IgG/IgM Sample Diluent Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
	Toxoplasma Quantitative IgG Reagent Wedge A Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
	Toxoplasma Quantitative IgG Reagent Wedge B Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Full text of abbreviated R phrases	: Not applicable.	

SECTION 16: Other information

Full text of classifications : Not applicable.
[DSD/DPD]

Date of printing : 2/17/2015.

Date of issue/ Date of revision : 2/17/2015.

Date of previous issue : No previous validation.

Version : 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.