

SAFETY DATA SHEET

IMMULITE® 2000 Estradiol

SIEMENS
Healthineers 

SDS no.:

L2KE22_6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : IMMULITE® 2000 Estradiol
Product code : L2KE22/6, 10381177, 10381178, 10702833, 10702834

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Estradiol Reagent Wedge Diagnostic agents.
 Estradiol Adjustors Diagnostic agents.

Restrictions on use For professional users only.

Supplier : Siemens Healthcare Diagnostics Limited
 Park View,
 Watchmoor Park,
 Camberley,
 Surrey,
 GU15 3YL
 United Kingdom

Phone: +44 (0) 345 600 1955

e-mail address of person responsible for this SDS : dx.msds.healthcare@siemens-healthineers.com

1.4 Emergency telephone number

CHEMTREC: +44 20 3807 3798

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Estradiol Reagent Wedge Mixture
 Estradiol Adjustors Mixture

Classification according to UK CLP/GHS

Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.
 See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : Estradiol Reagent Wedge No signal word.
 Estradiol Adjustors No signal word.

Hazard statements : Estradiol Reagent Wedge No known significant effects or critical hazards.
 Estradiol Adjustors No known significant effects or critical hazards.

Precautionary statements

Prevention : Estradiol Reagent Wedge Not applicable.
 Estradiol Adjustors Not applicable.

Response : Estradiol Reagent Wedge Not applicable.
 Estradiol Adjustors Not applicable.

Storage : Estradiol Reagent Wedge Not applicable.
 Estradiol Adjustors Not applicable.

SECTION 2: Hazards identification

Disposal	: Estradiol Reagent Wedge Estradiol Adjustors	Not applicable. Not applicable.
Supplemental label elements	: Estradiol Reagent Wedge Estradiol Adjustors	Not applicable. Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Estradiol Reagent Wedge Estradiol Adjustors	Not applicable. Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: Estradiol Reagent Wedge Estradiol Adjustors	This mixture does not contain any substances that are assessed to be a PBT or a vPvB. This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: Estradiol Reagent Wedge Estradiol Adjustors	None known. None known.
Additional information	: Not available.	
	Sodium azide may react with lead or copper plumbing to form highly explosive metal azides.	

SECTION 3: Composition/information on ingredients

3.1 Substances	: Estradiol Reagent Wedge Estradiol Adjustors	Mixture Mixture
-----------------------	--	--------------------

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Eye contact	: Estradiol Reagent Wedge Estradiol Adjustors	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Estradiol Reagent Wedge Estradiol Adjustors	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SECTION 4: First aid measures

Skin contact	: Estradiol Reagent Wedge	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Estradiol Adjustors	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Estradiol Reagent Wedge	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Estradiol Adjustors	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: Estradiol Reagent Wedge	No action shall be taken involving any personal risk or without suitable training.
	Estradiol Adjustors	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: Estradiol Reagent Wedge	No specific data.
	Estradiol Adjustors	No specific data.
Inhalation	: Estradiol Reagent Wedge	No specific data.
	Estradiol Adjustors	No specific data.
Skin contact	: Estradiol Reagent Wedge	No specific data.
	Estradiol Adjustors	No specific data.
Ingestion	: Estradiol Reagent Wedge	No specific data.
	Estradiol Adjustors	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Estradiol Reagent Wedge	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Estradiol Adjustors	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: Estradiol Reagent Wedge	No specific treatment.
	Estradiol Adjustors	No specific treatment.
	Estradiol Reagent Wedge	Not available.
	Estradiol Adjustors	Not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
sulfur oxides
halogenated compounds
metal oxide/oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

SECTION 8: Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties**Appearance**

- Physical state** : Estradiol Reagent Wedge Liquid.
Estradiol Adjustors Liquid.
- Colour** : Estradiol Reagent Wedge Straw.
Estradiol Adjustors Colourless.
- Odour** : Estradiol Reagent Wedge Odourless.
Estradiol Adjustors Odourless.
- Odour threshold** : Not relevant/applicable due to nature of the product.
- Melting point/freezing point** : Not relevant/applicable due to nature of the product.
- Softening point** : Not relevant/applicable due to nature of the product.
- Sublimation temperature** : Not relevant/applicable due to nature of the product.
- Initial boiling point and boiling range** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.
- Flammability (solid, gas)** : Estradiol Reagent Wedge Not relevant/applicable due to nature of the product.
Estradiol Adjustors Not relevant/applicable due to nature of the product.
- Upper/lower flammability or explosive limits** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.
- Flash point** : Estradiol Reagent Wedge [Product does not sustain combustion.]
Estradiol Adjustors [Product does not sustain combustion.]

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
Estradiol Reagent Wedge						
oleic acid				198.89 to 218.33	390 to 425	
Estradiol Adjustors						
ethanol	9.7	49.5	Abel-Pensky	17.778	64	

Auto-ignition temperature :

SECTION 9: Physical and chemical properties

Ingredient name	°C	°F	Method
Estradiol Reagent Wedge			
sodium azide	309	588.2	EU A.16
Estradiol Adjustors			
sodium azide	309	588.2	EU A.16

Decomposition temperature : Not relevant/applicable due to nature of the product.

pH : Estradiol Reagent Wedge 7.35 to 7.45
Estradiol Adjustors Not applicable.

Viscosity : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.

Solubility(ies) :
Not available.

Solubility in water : Not relevant/applicable due to nature of the product.

Miscible with water : Not relevant/applicable due to nature of the product.

Partition coefficient: n-octanol/ water : Not relevant/applicable due to nature of the product.

Vapour pressure :

Ingredient name	Vapour Pressure at 20°C			Vapour pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
Estradiol Reagent Wedge						
water	23.8	3.2				
Estradiol Adjustors						
ethanol	42.95	5.7				

Evaporation rate : Not relevant/applicable due to nature of the product.

Relative density : Estradiol Reagent Wedge 1
Estradiol Adjustors 1

Density : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.

Vapour density : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.

Explosive properties : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.

Oxidising properties : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.

Particle characteristics

Median particle size : Not applicable.

9.2 Other information

Fire point : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.

Burning time : Not relevant/applicable due to nature of the product.

Fundamental burning velocity : Not relevant/applicable due to nature of the product.

Burning rate : Not relevant/applicable due to nature of the product.

SADT : Not relevant/applicable due to nature of the product.

SAPT : Not relevant/applicable due to nature of the product.

Heat of reaction : Not relevant/applicable due to nature of the product.

Heat of combustion : Not relevant/applicable due to nature of the product.

Flow time (ISO 2431) : Not relevant/applicable due to nature of the product.

IMMULITE® 2000 Estradiol

SECTION 9: Physical and chemical properties**Molecular weight** : Not relevant/applicable due to nature of the product.**SECTION 10: Stability and reactivity****10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.**10.2 Chemical stability** : The product is stable.**10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.**10.4 Conditions to avoid** : No specific data.**10.5 Incompatible materials** : No specific data.**10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****Conclusion/Summary** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Acute toxicity estimates**

N/A

Irritation/Corrosion**Conclusion/Summary****Skin** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Eyes** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Respiratory** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Sensitisation****Conclusion/Summary****Skin** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Respiratory** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Mutagenicity****Conclusion/Summary** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Carcinogenicity****Conclusion/Summary** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Reproductive toxicity****Conclusion/Summary** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Teratogenicity****Conclusion/Summary** : Estradiol Reagent Wedge Not available.
Estradiol Adjustors Not available.**Specific target organ toxicity (single exposure)**

Not available.

SECTION 11: Toxicological information**Specific target organ toxicity (repeated exposure)**

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	: Estradiol Reagent Wedge	Not available.
	Estradiol Adjustors	Not available.

Potential acute health effects

Eye contact	: Estradiol Reagent Wedge	No known significant effects or critical hazards.
	Estradiol Adjustors	No known significant effects or critical hazards.
Inhalation	: Estradiol Reagent Wedge	No known significant effects or critical hazards.
	Estradiol Adjustors	No known significant effects or critical hazards.
Skin contact	: Estradiol Reagent Wedge	No known significant effects or critical hazards.
	Estradiol Adjustors	No known significant effects or critical hazards.
Ingestion	: Estradiol Reagent Wedge	No known significant effects or critical hazards.
	Estradiol Adjustors	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Estradiol Reagent Wedge	No specific data.
	Estradiol Adjustors	No specific data.
Inhalation	: Estradiol Reagent Wedge	No specific data.
	Estradiol Adjustors	No specific data.
Skin contact	: Estradiol Reagent Wedge	No specific data.
	Estradiol Adjustors	No specific data.
Ingestion	: Estradiol Reagent Wedge	No specific data.
	Estradiol Adjustors	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Short term exposure**

Potential immediate effects	: Estradiol Reagent Wedge	Not available.
	Estradiol Adjustors	Not available.
Potential delayed effects	: Estradiol Reagent Wedge	Not available.
	Estradiol Adjustors	Not available.

Long term exposure

Potential immediate effects	: Estradiol Reagent Wedge	Not available.
	Estradiol Adjustors	Not available.
Potential delayed effects	: Estradiol Reagent Wedge	Not available.
	Estradiol Adjustors	Not available.

Potential chronic health effects

Not available.

Conclusion/Summary	: Estradiol Reagent Wedge	Not available.
	Estradiol Adjustors	Not available.

SECTION 11: Toxicological information

General	: Estradiol Reagent Wedge Estradiol Adjustors	No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: Estradiol Reagent Wedge Estradiol Adjustors	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: Estradiol Reagent Wedge Estradiol Adjustors	No known significant effects or critical hazards. No known significant effects or critical hazards.
Reproductive toxicity	: Estradiol Reagent Wedge Estradiol Adjustors	No known significant effects or critical hazards. No known significant effects or critical hazards.
Interactive effects	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.
<u>Toxicokinetics</u>		
Absorption	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.
Distribution	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.
Metabolism	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.
Elimination	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.
Other information	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.

SECTION 12: Ecological information**12.1 Toxicity**

Conclusion/Summary	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.
---------------------------	--	----------------------------------

12.2 Persistence and degradability

Conclusion/Summary	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.
---------------------------	--	----------------------------------

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc})	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.
Mobility	: Estradiol Reagent Wedge Estradiol Adjustors	Not available. Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Sodium azide may react with lead or copper plumbing to form highly explosive metal azides.

Packaging

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
- Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information**ADR/RID**

14.1 UN number	Estradiol Reagent Wedge Estradiol Adjustors	Not regulated. Not regulated.
14.2 UN proper shipping name	Estradiol Reagent Wedge Estradiol Adjustors	- -
14.3 Transport hazard class(es)	Estradiol Reagent Wedge Estradiol Adjustors	- -
14.4 Packing group	Estradiol Reagent Wedge Estradiol Adjustors	- -
14.5 Environmental hazards	Estradiol Reagent Wedge Estradiol Adjustors	No. No.
Additional information	Estradiol Reagent Wedge Estradiol Adjustors	- -

ADN

14.1 UN number	Estradiol Reagent Wedge Estradiol Adjustors	Not regulated. Not regulated.
14.2 UN proper shipping name	Estradiol Reagent Wedge Estradiol Adjustors	- -
14.3 Transport hazard class(es)	Estradiol Reagent Wedge Estradiol Adjustors	- -
14.4 Packing group	Estradiol Reagent Wedge Estradiol Adjustors	- -
14.5 Environmental hazards	Estradiol Reagent Wedge Estradiol Adjustors	No. No.

SECTION 14: Transport information

Additional information	Estradiol Reagent Wedge	-
	Estradiol Adjustors	-

IMDG

14.1 UN number	Estradiol Reagent Wedge	Not regulated.
	Estradiol Adjustors	Not regulated.

14.2 UN proper shipping name	Estradiol Reagent Wedge	-
	Estradiol Adjustors	-

14.3 Transport hazard class(es)	Estradiol Reagent Wedge	-
	Estradiol Adjustors	-

14.4 Packing group	Estradiol Reagent Wedge	-
	Estradiol Adjustors	-

14.5 Environmental hazards	Estradiol Reagent Wedge	No.
	Estradiol Adjustors	No.

Additional information	Estradiol Reagent Wedge	-
	Estradiol Adjustors	-

IATA

14.1 UN number	Estradiol Reagent Wedge	Not regulated.
	Estradiol Adjustors	Not regulated.

14.2 UN proper shipping name	Estradiol Reagent Wedge	-
	Estradiol Adjustors	-

14.3 Transport hazard class(es)	Estradiol Reagent Wedge	-
	Estradiol Adjustors	-

14.4 Packing group	Estradiol Reagent Wedge	-
	Estradiol Adjustors	-

14.5 Environmental hazards	Estradiol Reagent Wedge	No.
	Estradiol Adjustors	No.

Additional information	Estradiol Reagent Wedge	-
	Estradiol Adjustors	-

14.6 Special precautions for user : Estradiol Reagent Wedge

Estradiol Adjustors

Transport within user's premises:

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport within user's premises:

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK (GB) /REACH

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Estradiol Reagent Wedge Estradiol Adjustors	Not applicable. Not applicable.
---	--	------------------------------------

Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

Industrial emissions (integrated pollution prevention and control) - Air	: Estradiol Reagent Wedge Estradiol Adjustors	Not listed Not listed
---	--	--------------------------

Industrial emissions (integrated pollution prevention and control) - Water	: Estradiol Reagent Wedge Estradiol Adjustors	Not listed Not listed
---	--	--------------------------

International regulations

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical safety assessment : Not applicable.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

- : ATE = Acute Toxicity Estimate
- GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EUH statement = GB CLP-specific Hazard statement
- N/A = Not available
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- SGG = Segregation Group
- vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

Not applicable.

Full text of classifications

Not applicable.

Date of printing : 12/13/2022

Date of issue/ Date of revision : 12/13/2022

Date of previous issue : No previous validation

Version : 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.