

SAFETY DATA SHEET



ADVIA® Centaur LH, 300 Test (REF)

SDS no.:

01149790

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : ADVIA® Centaur LH, 300 Test (REF)
Product code : 01149790, 02212941, 110754, 10309972, 118826, 01149790, 10332181, 00411521

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses ADVIA® Centaur LH ReadyPack Lite Diagnostic agents.
 Reagent
 ADVIA® Centaur LH ReadyPack Solid Diagnostic agents.
 Phase

Restrictions on use For professional users only.

Supplier : Siemens Healthcare Diagnostics Limited
 Park View,
 Watchmoor Park,
 Camberley,
 Surrey,
 GU15 3YL
 United Kingdom

Phone: +44 (0) 345 600 1955

e-mail address of person responsible for this SDS : dx.msds.healthcare@siemens-healthineers.com

1.4 Emergency telephone number

CHEMTREC: +44 20 3807 3798

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : ADVIA® Centaur LH ReadyPack Lite Mixture
 Reagent
 ADVIA® Centaur LH ReadyPack Solid Mixture
 Phase

Classification according to UK CLP/GHS

Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.
 See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : ADVIA® Centaur LH ReadyPack Lite No signal word.
 Reagent
 ADVIA® Centaur LH ReadyPack Solid No signal word.
 Phase

Hazard statements : ADVIA® Centaur LH ReadyPack Lite No known significant effects or critical hazards.
 Reagent
 ADVIA® Centaur LH ReadyPack Solid No known significant effects or critical hazards.
 Phase

Precautionary statements

SECTION 2: Hazards identification

Prevention	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not applicable.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not applicable.
Response	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not applicable.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not applicable.
Storage	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not applicable.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not applicable.
Disposal	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not applicable.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not applicable.
Supplemental label elements	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not applicable.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not applicable.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: ADVIA® Centaur LH ReadyPack Lite Reagent	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
	: ADVIA® Centaur LH ReadyPack Solid Phase	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: ADVIA® Centaur LH ReadyPack Lite Reagent	None known.
	: ADVIA® Centaur LH ReadyPack Solid Phase	None known.
Additional information	: Not available.	
	Sodium azide may react with lead or copper plumbing to form highly explosive metal azides.	

SECTION 3: Composition/information on ingredients

3.1 Substances	: ADVIA® Centaur LH ReadyPack Lite Reagent	Mixture
	: ADVIA® Centaur LH ReadyPack Solid Phase	Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Eye contact	: ADVIA® Centaur LH ReadyPack Lite Reagent	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	ADVIA® Centaur LH ReadyPack Solid Phase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: ADVIA® Centaur LH ReadyPack Lite Reagent	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	ADVIA® Centaur LH ReadyPack Solid Phase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: ADVIA® Centaur LH ReadyPack Lite Reagent	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	ADVIA® Centaur LH ReadyPack Solid Phase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: ADVIA® Centaur LH ReadyPack Lite Reagent	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	ADVIA® Centaur LH ReadyPack Solid Phase	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: ADVIA® Centaur LH ReadyPack Lite Reagent	No action shall be taken involving any personal risk or without suitable training.
	ADVIA® Centaur LH ReadyPack Solid Phase	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed**Over-exposure signs/symptoms**

Eye contact	: ADVIA® Centaur LH ReadyPack Lite Reagent	No specific data.
	ADVIA® Centaur LH ReadyPack Solid Phase	No specific data.
Inhalation	: ADVIA® Centaur LH ReadyPack Lite Reagent	No specific data.
	ADVIA® Centaur LH ReadyPack Solid Phase	No specific data.
Skin contact	: ADVIA® Centaur LH ReadyPack Lite Reagent	No specific data.
	ADVIA® Centaur LH ReadyPack Solid Phase	No specific data.

SECTION 4: First aid measures

Ingestion	: ADVIA® Centaur LH ReadyPack Lite Reagent	No specific data.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: ADVIA® Centaur LH ReadyPack Lite Reagent	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: ADVIA® Centaur LH ReadyPack Lite Reagent	No specific treatment.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No specific treatment.
	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: No specific data.

5.3 Advice for firefighters

Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SECTION 6: Accidental release measures

6.3 Methods and material for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

- 6.4 Reference to other sections** : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

SECTION 8: Exposure controls/personal protection

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties**Appearance**

Physical state	: ADVIA® Centaur LH ReadyPack Lite Reagent	Liquid.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Liquid.
Colour	: ADVIA® Centaur LH ReadyPack Lite Reagent	Colourless.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Colourless.
Odour	: ADVIA® Centaur LH ReadyPack Lite Reagent	Odourless.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Odourless.
Odour threshold	: Not relevant/applicable due to nature of the product.	
Melting point/freezing point	: Not relevant/applicable due to nature of the product.	
Softening point	: Not relevant/applicable due to nature of the product.	
Sublimation temperature	: Not relevant/applicable due to nature of the product.	
Initial boiling point and boiling range	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

SECTION 9: Physical and chemical properties

Flammability (solid, gas)	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not relevant/applicable due to nature of the product.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not relevant/applicable due to nature of the product.
Upper/lower flammability or explosive limits	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.
Flash point	: ADVIA® Centaur LH ReadyPack Lite Reagent	[Product does not sustain combustion.]
	ADVIA® Centaur LH ReadyPack Solid Phase	[Product does not sustain combustion.]

Auto-ignition temperature :

Ingredient name	°C	°F	Method
ADVIA® Centaur LH ReadyPack Lite Reagent			
tetrasodium ethylene diamine tetraacetate	>200	>392	
ADVIA® Centaur LH ReadyPack Solid Phase			
tetrasodium ethylene diamine tetraacetate	>200	>392	

Decomposition temperature : Not relevant/applicable due to nature of the product.

pH : ADVIA® Centaur LH ReadyPack Lite Reagent 8

ADVIA® Centaur LH ReadyPack Solid Phase 8

Viscosity : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.

ADVIA® Centaur LH ReadyPack Solid Phase Not available.

Solubility(ies) :

Not available.

Solubility in water : Not relevant/applicable due to nature of the product.

Miscible with water : Not relevant/applicable due to nature of the product.

Partition coefficient: n-octanol/ water : Not relevant/applicable due to nature of the product.

Vapour pressure :

Ingredient name	Vapour Pressure at 20°C			Vapour pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
ADVIA® Centaur LH ReadyPack Lite Reagent						
water	23.8	3.2				
ADVIA® Centaur LH ReadyPack Solid Phase						
water	23.8	3.2				

Evaporation rate : Not relevant/applicable due to nature of the product.

Relative density : ADVIA® Centaur LH ReadyPack Lite Reagent 1

ADVIA® Centaur LH ReadyPack Solid Phase 1

Density : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.

ADVIA® Centaur LH ReadyPack Solid Phase Not available.

SECTION 9: Physical and chemical properties

Vapour density	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.
Explosive properties	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.
Oxidising properties	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Particle characteristics

Median particle size : Not applicable.

9.2 Other information

Fire point	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.
Burning time	: Not relevant/applicable due to nature of the product.	
Fundamental burning velocity	: Not relevant/applicable due to nature of the product.	
Burning rate	: Not relevant/applicable due to nature of the product.	
SADT	: Not relevant/applicable due to nature of the product.	
SAPT	: Not relevant/applicable due to nature of the product.	
Heat of reaction	: Not relevant/applicable due to nature of the product.	
Heat of combustion	: Not relevant/applicable due to nature of the product.	
Flow time (ISO 2431)	: Not relevant/applicable due to nature of the product.	
Molecular weight	: Not relevant/applicable due to nature of the product.	

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Conclusion/Summary	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Acute toxicity estimates

ADVIA® Centaur LH, 300 Test (REF)

SECTION 11: Toxicological information

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
ADVIA® Centaur LH ReadyPack Lite Reagent ADVIA® Centaur LH ReadyPack Lite Reagent	27000	20000	N/A	N/A	N/A
ADVIA® Centaur LH ReadyPack Solid Phase ADVIA® Centaur LH ReadyPack Solid Phase	27003.5	20002.6	N/A	N/A	N/A

Irritation/Corrosion**Conclusion/Summary**

Skin	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.
Eyes	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.
Respiratory	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Sensitisation**Conclusion/Summary**

Skin	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.
Respiratory	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Mutagenicity**Conclusion/Summary**

: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Carcinogenicity**Conclusion/Summary**

: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Reproductive toxicity**Conclusion/Summary**

: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Teratogenicity**Conclusion/Summary**

: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

SECTION 11: Toxicological information

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Potential acute health effects

Eye contact	: ADVIA® Centaur LH ReadyPack Lite Reagent	No known significant effects or critical hazards.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No known significant effects or critical hazards.
Inhalation	: ADVIA® Centaur LH ReadyPack Lite Reagent	No known significant effects or critical hazards.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No known significant effects or critical hazards.
Skin contact	: ADVIA® Centaur LH ReadyPack Lite Reagent	No known significant effects or critical hazards.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No known significant effects or critical hazards.
Ingestion	: ADVIA® Centaur LH ReadyPack Lite Reagent	No known significant effects or critical hazards.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: ADVIA® Centaur LH ReadyPack Lite Reagent	No specific data.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No specific data.
Inhalation	: ADVIA® Centaur LH ReadyPack Lite Reagent	No specific data.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No specific data.
Skin contact	: ADVIA® Centaur LH ReadyPack Lite Reagent	No specific data.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No specific data.
Ingestion	: ADVIA® Centaur LH ReadyPack Lite Reagent	No specific data.
	: ADVIA® Centaur LH ReadyPack Solid Phase	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Short term exposure**

Potential immediate effects	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not available.
Potential delayed effects	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	: ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

Long term exposure

SECTION 11: Toxicological information

Potential immediate effects : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.
 ADVIA® Centaur LH ReadyPack Solid Phase Not available.

Potential delayed effects : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.
 ADVIA® Centaur LH ReadyPack Solid Phase Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.
 ADVIA® Centaur LH ReadyPack Solid Phase Not available.

General : ADVIA® Centaur LH ReadyPack Lite Reagent No known significant effects or critical hazards.
 ADVIA® Centaur LH ReadyPack Solid Phase No known significant effects or critical hazards.

Carcinogenicity : ADVIA® Centaur LH ReadyPack Lite Reagent No known significant effects or critical hazards.
 ADVIA® Centaur LH ReadyPack Solid Phase No known significant effects or critical hazards.

Mutagenicity : ADVIA® Centaur LH ReadyPack Lite Reagent No known significant effects or critical hazards.
 ADVIA® Centaur LH ReadyPack Solid Phase No known significant effects or critical hazards.

Reproductive toxicity : ADVIA® Centaur LH ReadyPack Lite Reagent No known significant effects or critical hazards.
 ADVIA® Centaur LH ReadyPack Solid Phase No known significant effects or critical hazards.

Interactive effects : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.
 ADVIA® Centaur LH ReadyPack Solid Phase Not available.

Toxicokinetics

Absorption : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.
 ADVIA® Centaur LH ReadyPack Solid Phase Not available.

Distribution : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.
 ADVIA® Centaur LH ReadyPack Solid Phase Not available.

Metabolism : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.
 ADVIA® Centaur LH ReadyPack Solid Phase Not available.

Elimination : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.
 ADVIA® Centaur LH ReadyPack Solid Phase Not available.

Other information : ADVIA® Centaur LH ReadyPack Lite Reagent Not available.
 ADVIA® Centaur LH ReadyPack Solid Phase Not available.

SECTION 12: Ecological information**12.1 Toxicity**

Conclusion/Summary	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

12.2 Persistence and degradability

Conclusion/Summary	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc})	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.
Mobility	: ADVIA® Centaur LH ReadyPack Lite Reagent	Not available.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC. Sodium azide may react with lead or copper plumbing to form highly explosive metal azides.

Packaging

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information**ADR/RID**

14.1 UN number	ADVIA® Centaur LH ReadyPack Lite Reagent	Not regulated.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not regulated.
14.2 UN proper shipping name	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.3 Transport hazard class(es)	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.4 Packing group	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.5 Environmental hazards	ADVIA® Centaur LH ReadyPack Lite Reagent	No.
	ADVIA® Centaur LH ReadyPack Solid Phase	No.
Additional information	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-

ADN

14.1 UN number	ADVIA® Centaur LH ReadyPack Lite Reagent	Not regulated.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not regulated.
14.2 UN proper shipping name	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.3 Transport hazard class(es)	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.4 Packing group	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.5 Environmental hazards	ADVIA® Centaur LH ReadyPack Lite Reagent	No.
	ADVIA® Centaur LH ReadyPack Solid Phase	No.
Additional information	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-

IMDG

14.1 UN number	ADVIA® Centaur LH ReadyPack Lite Reagent	Not regulated.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not regulated.
14.2 UN proper shipping name	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.3 Transport hazard class(es)	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.4 Packing group	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.5 Environmental hazards	ADVIA® Centaur LH ReadyPack Lite Reagent	No.
	ADVIA® Centaur LH ReadyPack Solid Phase	No.
Additional information	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-

IATA

ADVIA® Centaur LH, 300 Test (REF)

SECTION 14: Transport information

14.1 UN number	ADVIA® Centaur LH ReadyPack Lite Reagent	Not regulated.
	ADVIA® Centaur LH ReadyPack Solid Phase	Not regulated.
14.2 UN proper shipping name	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.3 Transport hazard class(es)	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.4 Packing group	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.5 Environmental hazards	ADVIA® Centaur LH ReadyPack Lite Reagent	No.
	ADVIA® Centaur LH ReadyPack Solid Phase	No.
Additional information	ADVIA® Centaur LH ReadyPack Lite Reagent	-
	ADVIA® Centaur LH ReadyPack Solid Phase	-
14.6 Special precautions for user	<div> <div> ADVIA® Centaur LH ReadyPack Lite Reagent </div> <div> Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. </div> </div> <div> <div> ADVIA® Centaur LH ReadyPack Solid Phase </div> <div> Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. </div> </div>	
14.7 Transport in bulk according to IMO instruments	Not applicable.	

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****UK (GB) /REACH****Annex XIV - List of substances subject to authorisation****Annex XIV**

None of the components are listed.

Substances of very high concern

None of the components are listed.

Ozone depleting substances

Not listed.

Prior Informed Consent (PIC)

Not listed.

Persistent Organic Pollutants

Not listed.

SECTION 15: Regulatory information

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: ADVIA® Centaur LH ReadyPack Lite	Not applicable.
	Reagent	
	ADVIA® Centaur LH ReadyPack Solid	Not applicable.
	Phase	

Seveso Directive

This product is not controlled under the Seveso Directive.

EU regulations

Industrial emissions (integrated pollution prevention and control) - Air	: ADVIA® Centaur LH ReadyPack Lite	Not listed
	Reagent	
	ADVIA® Centaur LH ReadyPack Solid	Not listed
	Phase	
Industrial emissions (integrated pollution prevention and control) - Water	: ADVIA® Centaur LH ReadyPack Lite	Not listed
	Reagent	
	ADVIA® Centaur LH ReadyPack Solid	Not listed
	Phase	

International regulations**Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical safety assessment : Not applicable.

SECTION 16: Other information

🔹 Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate
	GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = GB CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

Not applicable.

Full text of classifications

SECTION 16: Other information

Not applicable.

Date of printing : 12/13/2022
Date of issue/ Date of revision : 12/13/2022
Date of previous issue : No previous validation
Version : 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.